



JN0-362^{Q&As}

Service Provider Routing and Switching - Specialist (JNCIS-SP)

Pass Juniper JN0-362 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/jn0-362.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

When working with an MPLS LSP, what will the install 172.16.6.0/24 active command accomplish?

- A. The command will swap the prefix from inet.0 to inet.3
- B. The command will swap the prefix from inet.3 to inet.0
- C. The command will install the prefix in inet.0 rather than inet.3
- D. The command will install the prefix in inet.3 rather than inet.0

Correct Answer: D

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/lsp-routes.html#id-21214

QUESTION 2

Click the Exhibit button.

```
[edit protocols ospf]
user@router# show
reference-bandwidth 10g;
area 0.0.0.0 {
  interface ge-1/0/0.0 {
    priority 255;
  }
  interface ge-3/0/0.0 {
    priority 128;
  }
  interface xe-0/0/0.0 {
    interface-type nbma;
  }
}
```

Referring to the exhibit, which statement is correct?


- A. Interface xe-0/0/0.0 has a default metric of 10
- B. Interface ge-3/0/0.0 has a default metric of 10
- C. Interface ge-1/0/0.0 can only form a single adjacency
- D. Interface xe-0/0/0.0 can only form a single adjacency

Correct Answer: B



QUESTION 3

Click the Exhibit button.



In the network shown in the exhibit, all switches are configured with the default STP root bridge priority, and Switch A has been selected as root. You recently added the older Switch D into the network as an access switch, and notice it has taken over as root.

Which configuration would solve this problem?



- A.

```
[edit protocols rstp]
user@switchC# show
interface ge-1/0/0 {
    edge;
}
```
- B.

```
[edit protocols rstp]
user@switchD# show
interface ge-1/0/0 {
    no-root-port;
}
```
- C.

```
[edit protocols rstp]
user@switchC# show
interface ge-1/0/0 {
    no-root-port;
}
```
- D.

```
[edit protocols rstp]
user@switchC# show
interface ge-1/0/0 {
    bpdu-timeout-action {
        block;
    }
}
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: C

Reference: https://www.juniper.net/documentation/en_US/junos/topics/reference/configuration-statement/no-root-port-edit-protocols-stp.html

QUESTION 4

What is the purpose of STP BPDUs?


- A. to exchange MAC addresses
- B. to determine the least cost path
- C. to determine the root-alternate port
- D. to determine the root bridge



Correct Answer: B

QUESTION 5

Click the Exhibit button.



You are asked to configure OSPF for the network? Referring to the exhibit, how should Area 1 be configured?


- A. stub area
- B. totally stubby area
- C. not-so-stubby area
- D. backbone area

Correct Answer: A

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/configuring-ospf-areas.html

QUESTION 6

Click the Exhibit button.



You must create a static route on Router-A to the 10.10.5.0/24 network using 10.10.3.2 as the next hop. Referring to the exhibit, which configuration accomplishes this task?



- A.

```
{master:0}[edit]
user@Router-A# show routing-options
static {
    route 10.10.5.0/24 next-hop 10.10.3.2;
}
```
- B.

```
user@Router-A# show routing-options
static {
    route 10.10.5.0/24 next-hop 10.10.1.2;
}
```
- C.

```
{master:0}[edit]
user@Router-A# show routing-options
static {
    route 10.10.5.0/24 {
        next-hop 10.10.3.2;
        qualified-next-hop 10.10.1.2;
    }
}
```
- D.

```
{master:0}[edit]
user@Router-A# show routing-options
static {
    route 10.10.5.0/24 {
        next-hop 10.10.3.2;
        resolve;
    }
}
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D



Correct Answer: D

QUESTION 7

You want to disable MAC learning only for interface ge-0/0/0.0 on an MX Series device. Which syntax will accomplish this task?



- A.

```
switch-options {
    no-mac-learning;
}
```
- B.

```
bridge-domains {
    bridge-domain-name {
        domain-type bridge;
        interface ge-0/0/0.0;
        bridge-options {
            no-mac-learning;
        }
    }
}
```
- C.

```
bridge-domains {
    bridge-domain-name {
        domain-type bridge;
        interface ge-0/0/0.0;
        bridge-options :
            interface ge-0/0/0.0 {
                no-mac-learning;
            }
    }
}
```
- D.

```
switch-options {
    no-mac-learning;
    interface xe-2/0/0.0 {
        no-mac-learning;
    }
}
```




- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: C

Reference: https://www.juniper.net/documentation/en_US/junos/topics/task/configuration/layer-2-services-mac-bridge-domain-or-logical-interface-disabling-learning-for.html

QUESTION 8

Which two statements are true for GRE tunneling? (Choose two.)

- A. GRE tunnel endpoints must have a valid route to the remote endpoint
- B. GRE tunnels support multiple logical units per interface
- C. GRE tunnels are stateful by default
- D. GRE tunnels support only one logical unit per interface

Correct Answer: AB

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/filtering-unicast-packets-multicast-tunnel-interfaces.html#id-configuring-unicast-tunnels

QUESTION 9

Which two high availability features preserve interface and kernel information during reconvergence? (Choose two.)

- A. graceful restart (GR)
- B. nonstop bridging (NSB)
- C. nonstop active routing (NSR)
- D. graceful Routing Engine switchover (GRES)

Correct Answer: CD

QUESTION 10

Click the Exhibit button.



```
user@router> show interfaces terse ge-0/0/0.0
ge-0/0/0.0      up    up    inet6    2001:db8:0:9:206:aff:fe0e:e01/64
                                     fe80::206:aff:fe0e:e01/64
                                     multiservice
```

Your co-worker configures the ge-0/0/0 interface with an IPv6 address of 2001:db8:0:9::/64. After committing the configuration, your co-worker executes the command shown in the exhibit.

What is the fe80::206:aff:fe0e:e01/64 address in this scenario?

- A. the loopback address
- B. the multicast address
- C. the statically assigned address
- D. the link-local address

Correct Answer: D

QUESTION 11

Which two characteristics describe IS-IS? (Choose two.)

- A. A collection of Level 1 routers serves as the IS-IS backbone
- B. Level 2 routers connect areas in an IS-IS autonomous system
- C. A collection of Level 2 routers serve as the IS-IS backbone
- D. A Level 1 IS routes between areas and toward other autonomous systems

Correct Answer: BC

Reference: https://www.juniper.net/documentation/en_US/junos/topics/concept/isis-levels-understanding.html

QUESTION 12

To which multicast address is a VRRP advertisement packet sent?

- A. 224.0.0.6
- B. 224.0.0.18
- C. 224.0.0.22
- D. 224.0.0.13


Correct Answer: B



Reference: <https://tools.ietf.org/html/rfc3768>

QUESTION 13

Click the Exhibit button.



Customer-1 wants the Service Provider to allow STP to operate normally on all ports but only allow the MX Series devices to manage the Layer 2 topology. Referring to the exhibit, which feature needs to be implemented on all devices to accomplish this task?

- A. root protection
- B. MAC movement protection
- C. BPDU protection
- D. loop protection

Correct Answer: D

[Latest JN0-362 Dumps](#)

[JN0-362 VCE Dumps](#)

[JN0-362 Braindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.lead4pass.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © lead4pass, All Rights Reserved.